


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PANDUIT PART NO	MAX. BUNDLE DIA	PACKAGE QTY	"L" LENGTH +/- .3" [7]
MLT4EH15-LP316	4" [102]	50	17.1" [434]
MLT6EH15-LP316	6" [152]	50	23.4" [594]
MLT8EH15-LP316	8" [203]	50	29.7" [754]
MLT10EH15-LP316	10" [254]	50	35.9" [912]
MLT12EH15-Q316	12" [305]	25	42.2" [1072]



NOTES:

1. APPLICATION TOOLS - RT2HT, RT2HTN & PBTMT
2. MINIMUM LOOP TENSILE STRENGTH - 700 LBS. (3115 NEWTONS) WHEN TESTED ON A 3" MANDREL.
3. BRACKETS [] DENOTE DIMENSIONS IN MILLIMETERS, AND ARE SHOWN FOR REFERENCE ONLY
4. TOLERANCES:
 .XXX = ±.010 [.25] .XX = ±.02 [.5]
 .X = ±.03 [.8] ANGLES = ±2°
5. MATERIAL: 316 STAINLESS STEEL

FULLY ROUNDED EDGES ALONG STRAP BODY

SECTION A - A
SCALE: 4x

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
04A	2/13	JAMB	SKB	RGRO	REMOVED APPLICATION TOOL ST3MT, ADDED RT2HTN AND PBTMT UPDATE DRAWING TO NEW PANDUIT GLOBAL TITLE BLOCK WITH PANDUIT LOGO	SSECN01028
03A	2/12	JAMB	SKB	RGRO	NOTE 3 - METRIC DIMENSIONS NOTED AS BEING SHOWN FOR REFERENCE ONLY	-----
02A	10/08	JAMB	SKB	---	ORIG CAD FILE SPEC WAS S41158_02, NOTE 1: APPLICATION TOOL RT1HT REPLACED BY RT2HT	-----
02	05/06	JAMB	SKB	---	ADDED PARTS MLT10EH15-LP316 & MLT12EH15-Q316 TO TABLE	SS00179
01	08/04	JAMB	DPN	JJB	REMOVED "AISI NO. 5"	11907
00	01/04	JAMB	DPN	JJB	RELEASED	11307

TITLE						
METAL LOCKING TIE EXTRA HEAVY DUTY 316 STAINLESS STEEL						
CUSTOMER DRAWING						
ITEM REVISION NAME		N41158BS/04		PANDUIT		
DATASET FILE NAME		N41158BS_DC/04A				
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]				MATERIAL:		
.x ± .1 [2.54] .xxx ± .005 [.127]				SEE NOTES		
.xx ± .01 [.25] ANGLES ± 5 °				DRAWING NUMBER:		
				N41158BS_DC		
DRAWN BY	DATE	CHK	SCALE	SHT 1 OF 1		SIZE
JAMB	01/04	DPN	2:1			A